

2020-02-21 Novel Coronavirus_Daily Article List

Articles publiés ou *In press*

16 références

- [1] Bernheim A, Mei X, Huang M, Yang Y, Fayad ZA, Zhang N, et al. Chest CT Findings in Coronavirus Disease-19 (COVID-19): Relationship to Duration of Infection. Radiology. 2020:200463-.
<https://pubmed.ncbi.nlm.nih.gov/32077789>
- [2] Binnicker MJ. Emergence of a Novel Coronavirus Disease (COVID-19) and the Importance of Diagnostic Testing: Why Partnership between Clinical Laboratories, Public Health Agencies, and Industry Is Essential to Control the Outbreak. Clinical chemistry. 2020:hvaa071.
<https://pubmed.ncbi.nlm.nih.gov/32077933>
- [3] Chen S, Yang J, Yang W, Wang C, Barnighausen T. COVID-19 control in China during mass population movements at New Year. The Lancet. 2020.
- [4] Dilcher M, Werno A, Jennings LC. SARS-CoV-2: a novel deadly virus in a globalised world. N Z Med J. 2020;133(1510):6-11.
<https://pubmed.ncbi.nlm.nih.gov/32078595>
- [5] Ghebreyesus TA, Swaminathan S. Scientists are sprinting to outpace the novel coronavirus. The Lancet. 2020.
- [6] Leung GM, Leung K. Crowdsourcing data to mitigate epidemics. The Lancet Digital Health.
[https://doi.org/10.1016/S2589-7500\(20\)30055-8](https://doi.org/10.1016/S2589-7500(20)30055-8)
- [7] McCall B. COVID-19 and artificial intelligence: protecting health-care workers and curbing the spread. The Lancet Digital Health.
[https://doi.org/10.1016/S2589-7500\(20\)30054-6](https://doi.org/10.1016/S2589-7500(20)30054-6)
- [8] Murdoch DR, French NP. COVID-19: another infectious disease emerging at the animal-human interface. N Z Med J. 2020;133(1510):12-5.
<https://pubmed.ncbi.nlm.nih.gov/32078596>
- [9] Pan X, Ojcius DM, Gao T, Li Z, Pan C, Pan C. Lessons learned from the 2019-nCoV epidemic on prevention of future infectious diseases. Microbes and Infection. 2020.
<http://www.sciencedirect.com/science/article/pii/S1286457920300320>
- [10] Ping W, Zhiyong L, Ye C, Ying Q, Huijie C, Xiangdong A. Investigation of a Cluster of 2019 Novel Coronavirus Disease (COVID-19) with Possible Transmission During the Incubation Period — Shenyang City, China, 2020. China CDC Weekly. 2020;2(8):125-7.
<http://weekly.chinacdc.cn/article/id/78001560-6f5f-4bd3-a9ad-149f7c453923>
- [11] Poland GA. Another coronavirus, another epidemic, another warning. Vaccine. 2020;38(10):v-vi.
<http://www.sciencedirect.com/science/article/pii/S0264410X20302486>
- [12] Sabino-Silva R, Jardim ACG, Siqueira WL. Coronavirus COVID-19 impacts to dentistry and potential salivary diagnosis. Clin Oral Investig. 2020:10.1007/s00784-020-3248-x.
<https://link.springer.com/content/pdf/10.1007/s00784-020-03248-x.pdf>
- [13] She J, Jiang J, Ye L, Hu L, Bai C, Song Y. 2019 novel coronavirus of pneumonia in Wuhan, China: emerging attack and management strategies. Clin Transl Med. 2020;9(1):19-.
<https://clintransmed.springeropen.com/track/pdf/10.1186/s40169-020-00271-z>
- [14] Tom F. A Strong Public Health System: Essential for Health and Economic Progress. China CDC Weekly. 2020;2(8):128-30.
<http://weekly.chinacdc.cn/article/id/3e28e552-63fd-4bc7-976b-6c67a35c9c33>

[15] Wong JEL, Leo YS, Tan CC. COVID-19 in Singapore-Current Experience: Critical Global Issues That Require Attention and Action. JAMA. 2020;10.1001/jama.2020.467.

https://jamanetwork.com/journals/jama/articlepdf/2761890/jama_wong_2020_vp_200026.pdf

[16] Xiang Y-T, Li W, Zhang Q, Jin Y, Rao W-W, Zeng L-N, et al. Timely research papers about COVID-19 in China. Lancet. 2020:S0140-6736(20)30375-5.

<https://pubmed.ncbi.nlm.nih.gov/32078803>

Preprints

40 références

[Un rappel : il s'agit de rapports préliminaires qui n'ont pas fait l'objet d'un examen par les pairs. Ils ne doivent pas être considérés comme concluants, ni guider la pratique clinique ou les comportements liés à la santé, ni être présentés dans les médias comme des informations établies.]

[1] batista m. Estimation of the final size of the coronavirus epidemic by the logistic model. medRxiv. 2020:2020.02.16.20023606.

<http://medrxiv.org/content/early/2020/02/20/2020.02.16.20023606.abstract>

[2] Chen L, Hao G. The Role of Angiotensin Converting Enzyme 2 in Coronaviruses/Influenza Viruses and Cardiovascular Disease. Preprint Lancet. 2020.

<https://ssrn.com/abstract=3537961>

[3] Cheng Y, Luo R, Wang K, Zhang M, Wang Z, Dong L, et al. Kidney impairment is associated with in-hospital death of COVID-19 patients. medRxiv. 2020:2020.02.18.20023242.

<http://medrxiv.org/content/early/2020/02/20/2020.02.18.20023242.abstract>

[4] Diao B, Wang C, Tan Y, Chen X, Liu Y, Ning L, et al. Reduction and Functional Exhaustion of T Cells in Patients with Coronavirus Disease 2019 (COVID-19). medRxiv. 2020:2020.02.18.20024364.

<http://medrxiv.org/content/early/2020/02/20/2020.02.18.20024364.abstract>

[5] Diao Y, Liu X, Wang T, Zeng X, Dong C, Zhou C, et al. Estimating the cure rate and case fatality rate of the ongoing epidemic COVID-19. medRxiv. 2020:2020.02.18.20024513.

<http://medrxiv.org/content/early/2020/02/20/2020.02.18.20024513.abstract>

[6] Ding Y, Luo S, Zheng X, Ling P, Yue T, Liu Z, et al. Association of Population Migration and Coronavirus Disease 2019 Epidemic Control. medRxiv. 2020:2020.02.18.20024661.

<http://medrxiv.org/content/early/2020/02/20/2020.02.18.20024661.abstract>

[7] Fu X, Ying Q, Zeng T, Long T, Wang Y. Simulating and Forecasting the Cumulative Confirmed Cases of SARS-CoV-2 in China by Boltzmann Function-based Regression Analyses. medRxiv. 2020:2020.02.16.20023564.

<http://medrxiv.org/content/early/2020/02/20/2020.02.16.20023564.abstract>

[8] Grifoni A, Sidney J, Zhang Y, Scheuermann RH, Peters BH, Sette A. Candidate targets for immune responses to 2019-Novel Coronavirus (nCoV): sequence homology- and bioinformatic-based predictions. bioRxiv. 2020:2020.02.12.946087.

<http://biorxiv.org/content/early/2020/02/20/2020.02.12.946087.abstract>

[9] Gu H, Chu DKW, Peiris JSM, Poon LLM. Multivariate Analyses of Codon Usage in 2019 Novel Coronavirus on the Genomic Landscape of Betacoronavirus. bioRxiv. 2020:2020.02.15.950568.

<http://biorxiv.org/content/early/2020/02/20/2020.02.15.950568.1.abstract>

[10] Huang M, Zhan F, Wang J, Yi Q, Zhu F, Yang H, et al. Epidemiological and Clinical Features of 197 Patients Infected with 2019 Novel Coronavirus in Chongqing, China: A Single Center Descriptive Study. Preprint Lancet. 2020.

<https://ssrn.com/abstract=3539687>

[11] Lamb LE, Bartolone SN, Ward E, Chancellor MB. Rapid Detection of Novel Coronavirus (COVID19) by Reverse Transcription-Loop-Mediated Isothermal Amplification. Preprint Lancet. 2020.

<https://ssrn.com/abstract=3539654>

[12] Lan J, Ge J, Yu J, Shan S, Zhou H, Fan S, et al. Crystal structure of the 2019-nCoV spike receptor-binding domain bound with the ACE2 receptor. bioRxiv. 2020:2020.02.19.956235.

<http://biorxiv.org/content/early/2020/02/20/2020.02.19.956235.abstract>

[13] Li J, Wang Y, Gilmour S, Wang M, Yoneoka D, Wang Y, et al. Estimation of the epidemic properties of the 2019 novel coronavirus: A mathematical modeling study. medRxiv. 2020:2020.02.18.20024315.

<http://medrxiv.org/content/early/2020/02/20/2020.02.18.20024315.abstract>

<http://medrxiv.org/content/early/2020/02/20/2020.02.18.20024315.abstract>

[14] Liu J, Li S, Liu J, Liang B, Wang X, Li W, et al. Longitudinal Characteristics of Lymphocyte Responses and Cytokine Profiles in the Peripheral Blood of SARS-CoV-2 Infected Patients. Preprint Lancet. 2020.

<https://ssrn.com/abstract=3539682>

[15] Liu P, Jiang J-Z, Hua Y, Wang X, Hou F, Wan X-F, et al. Are pangolins the intermediate host of the 2019 novel coronavirus (2019-nCoV) ? bioRxiv. 2020:2020.02.18.954628.

<http://biorxiv.org/content/early/2020/02/20/2020.02.18.954628.abstract>

[16] Liu Q, Liu Z, Li D, Gao Z, Zhu J, Yang J, et al. Assessing the Tendency of 2019-nCoV (COVID-19) Outbreak in China. medRxiv. 2020:2020.02.09.20021444.

<http://medrxiv.org/content/early/2020/02/20/2020.02.09.20021444.abstract>

[17] Liu Y, Sun W, Chen L, Wang Y, Zhang L, Yu L. Clinical Characteristics and Progression of 2019 Novel Coronavirus-Infected Patients Concurrent Acute Respiratory Distress Syndrome. medRxiv. 2020:2020.02.17.20024166.

<http://medrxiv.org/content/early/2020/02/20/2020.02.17.20024166.abstract>

<http://medrxiv.org/content/early/2020/02/20/2020.02.17.20024166.abstract>

[18] Maier BF, Brockmann D. Effective containment explains sub-exponential growth in confirmed cases of recent COVID-19 outbreak in Mainland China. medRxiv. 2020:2020.02.18.20024414.

<http://medrxiv.org/content/early/2020/02/20/2020.02.18.20024414.abstract>

<http://medrxiv.org/content/early/2020/02/20/2020.02.18.20024414.abstract>

[19] Plante JA, Plante K, Gralinski L, Beall A, Ferris MT, Bottomly D, et al. Mucin 4 Protects Female Mice from Coronavirus Pathogenesis. bioRxiv. 2020:2020.02.19.957118.

<http://biorxiv.org/content/early/2020/02/20/2020.02.19.957118.abstract>

[20] Qian M, Wu Q, Wu P, Hou Z, Liang Y, Cowling BJ, et al. Psychological responses, behavioral changes and public perceptions during the early phase of the COVID-19 outbreak in China: a population based cross-sectional survey. medRxiv. 2020:2020.02.18.20024448.

<http://medrxiv.org/content/early/2020/02/20/2020.02.18.20024448.abstract>

<http://medrxiv.org/content/early/2020/02/20/2020.02.18.20024448.abstract>

[21] Randhawa GS, Soltysiak MPM, El Roz H, de Souza CPE, Hill KA, Kari L. Machine learning using intrinsic genomic signatures for rapid classification of novel pathogens: COVID-19 case study. bioRxiv. 2020:2020.02.03.932350.

<http://biorxiv.org/content/early/2020/02/20/2020.02.03.932350.abstract>

<http://biorxiv.org/content/early/2020/02/20/2020.02.03.932350.abstract>

[22] Shao N, Cheng J, Chen W. The reproductive number R_0 of COVID-19 based on estimate of a statistical time delay dynamical system. medRxiv. 2020:2020.02.17.20023747.

<http://medrxiv.org/content/early/2020/02/20/2020.02.17.20023747.1.abstract>

[23] Shi P, Cao S, Feng P. SEIR Transmission dynamics model of 2019 nCoV coronavirus with considering the weak infectious ability and changes in latency duration. medRxiv. 2020:2020.02.16.20023655.

<http://medrxiv.org/content/early/2020/02/20/2020.02.16.20023655.abstract>

<http://medrxiv.org/content/early/2020/02/20/2020.02.16.20023655.abstract>

- [24] Su VYF, Yang Y-H, Yang K-Y, Chou K-T, Su W-J, Chen Y-M, et al. The Risk of Death in 2019 Novel Coronavirus Disease (COVID-19) in Hubei Province. Preprint Lancet. 2020.
<https://ssrn.com/abstract=3539655>
- [25] Sun H, Dickens BL, Chen M, Cook AR, Clapham HE. Estimating number of global importations of COVID-19 from Wuhan, risk of transmission outside mainland China and COVID-19 introduction index between countries outside mainland China. medRxiv. 2020:2020.02.17.20024075.
<http://medrxiv.org/content/early/2020/02/20/2020.02.17.20024075.abstract>
- [26] Sun H, Qiu Y, Yan H, Huang Y, Zhu Y, Chen SX. Tracking and Predicting COVID-19 Epidemic in China Mainland. medRxiv. 2020:2020.02.17.20024257.
<http://medrxiv.org/content/early/2020/02/20/2020.02.17.20024257.abstract>
- [27] Walls AC, Park Y-J, Tortorici MA, Wall A, McGuire AT, Veasley D. Structure, function and antigenicity of the SARS-CoV-2 spike glycoprotein. bioRxiv. 2020:2020.02.19.956581.
<http://biorxiv.org/content/early/2020/02/20/2020.02.19.956581.abstract>
- [28] Wang F, Hou H, Luo Y, Tang G, Wu S, Huang M, et al. The Laboratory Tests and Host Immunity of 2019 Novel Coronavirus-Infected Patients with Different Severity of Illness in Tongji Hospital, Wuhan, China. Preprint Lancet. 2020.
<https://ssrn.com/abstract=3539659>
- [29] Wang X, Ma Z, Ning Y, Chen C, Chen R, Chen Q, et al. Estimating the case fatality ratio of the COVID-19 epidemic in China. medRxiv. 2020:2020.02.17.20023630.
<http://medrxiv.org/content/early/2020/02/20/2020.02.17.20023630.abstract>
- [30] Xiao F, Tang M, Zheng X, Li C, He J, Hong Z, et al. Evidence for gastrointestinal infection of SARS-CoV-2. medRxiv. 2020:2020.02.17.20023721.
<http://medrxiv.org/content/early/2020/02/20/2020.02.17.20023721.abstract>
- [31] Xiao K, Zhai J, Feng Y, Zhou N, Zhang X, Zou J-J, et al. Isolation and Characterization of 2019-nCoV-like Coronavirus from Malayan Pangolins. bioRxiv. 2020:2020.02.17.951335.
<http://biorxiv.org/content/early/2020/02/20/2020.02.17.951335.abstract>
- [32] Xie L, Sun C, Luo C, Zhang Y, Zhang J, Yang J, et al. SARS-CoV-2 and SARS-CoV Spike-RBD Structure and Receptor Binding Comparison and Potential Implications on Neutralizing Antibody and Vaccine Development. bioRxiv. 2020:2020.02.16.951723.
<http://biorxiv.org/content/early/2020/02/20/2020.02.16.951723.abstract>
- [33] Yan R, Zhang Y, Guo Y, Xia L, Zhou Q. Structural basis for the recognition of the 2019-nCoV by human ACE2. bioRxiv. 2020:2020.02.19.956946.
<http://biorxiv.org/content/early/2020/02/20/2020.02.19.956946.abstract>
- [34] Zhan C, Tse CK, Fu Y, Lai Z, Zhang H. Modeling and Prediction of the 2019 Coronavirus Disease Spreading in China Incorporating Human Migration Data. medRxiv. 2020:2020.02.18.20024570.
<http://medrxiv.org/content/early/2020/02/20/2020.02.18.20024570.abstract>
- [35] Zhang L, Lin D, Sun X, Rox K, Hilgenfeld R. X-ray Structure of Main Protease of the Novel Coronavirus SARS-CoV-2 Enables Design of α -Ketoamide Inhibitors. bioRxiv. 2020:2020.02.17.952879.
<http://biorxiv.org/content/early/2020/02/20/2020.02.17.952879.abstract>
- [36] Zhang Z, Wu Q, Zhang T. Pangolin homology associated with 2019-nCoV. bioRxiv. 2020:2020.02.19.950253.
<http://biorxiv.org/content/early/2020/02/20/2020.02.19.950253.abstract>
- [37] Zhou C. Evaluating new evidence in the early dynamics of the novel coronavirus COVID-19 outbreak in Wuhan, China with real time domestic traffic and potential asymptomatic transmissions. medRxiv. 2020:2020.02.15.20023440.
<http://medrxiv.org/content/early/2020/02/20/2020.02.15.20023440.abstract>

- [38] Zhou M, Chen Y, Yang D, Xu Y, Yao W, Huang J, et al. A Deep Learning Pipeline for Accurate Differential Diagnosis between Novel Coronavirus Pneumonia and Influenza Pneumonia. Preprint Lancet. 2020.
<https://ssrn.com/abstract=3539663>
- [39] Zhou Y, Fu B, Zheng X, Wang D, Zhao C, Qi Y, et al. Aberrant pathogenic GM-CSF+ T cells and inflammatory CD14+CD16+ monocytes in severe pulmonary syndrome patients of a new coronavirus. bioRxiv. 2020:2020.02.12.945576.
<http://biorxiv.org/content/early/2020/02/20/2020.02.12.945576.abstract>
- [40] Ziff RM, Ziff AL. Fractal kinetics of COVID-19 pandemic. medRxiv. 2020:2020.02.16.20023820.
<http://medrxiv.org/content/early/2020/02/20/2020.02.16.20023820.abstract>

Documents gouvernementaux

3 références

- [1] Australian Government. Department of health. Nouvelles fiches d'information [mis à jour le 21 février] [En ligne]. : Australian Government. Department of health; 2020. [modifié le ; cité le]. Disponible: <https://www.health.gov.au/resources/collections/novel-coronavirus-2019-ncov-resources>
- [2] CDC. COVID-19: What is Stigma and What Causes It? [En ligne]. : 2020. [modifié le ; cité le]. Disponible: <https://www.cdc.gov/coronavirus/2019-ncov/stigma-faq.html>
- [3] CDC. Cruise Ship Travel in East Asia and the Asia-Pacific Region [En ligne]. : 2020. [modifié le ; cité le]. Disponible: <https://wwwnc.cdc.gov/travel/page/cruise-ship-asia>

Articles en chinois

4 références

[Un résumé en anglais est disponible]

- [1] Guan GW, Gao L, Wang JW, Wen XJ, Mao TH, Peng SW, et al. [Exploring the mechanism of liver enzyme abnormalities in patients with novel coronavirus-infected pneumonia]. Zhonghua Gan Zang Bing Za Zhi. 2020;28(2):E002-E.
<https://pubmed.ncbi.nlm.nih.gov/32077659>
- [2] Li X, Liu M, Zhao Q, Liu R, Zhang H, Dong M, et al. [Preliminary Recommendations for Lung Surgery during SARS-CoV-2 Novel Coronavirus Pneumonia Epidemic Period]. Zhongguo Fei Ai Za Zhi. 2020;23(3):133-5.
<https://pubmed.ncbi.nlm.nih.gov/32077440>
- [3] Respiratory care committee of Chinese Thoracic S. [Expert consensus on preventing nosocomial transmission during respiratory care for critically ill patients infected by 2019 novel coronavirus pneumonia]. Zhonghua Jie He He Hu Xi Za Zhi. 2020;17(0):E020-E.
<https://pubmed.ncbi.nlm.nih.gov/32077661>
- [4] Xu Y, Liu H, Hu K, Wang M. [Clinical Management of Lung Cancer Patients during the Outbreak of 2019 Novel Coronavirus Disease (COVID-19)]. Zhongguo Fei Ai Za Zhi. 2020;23(3):136-41.
<https://pubmed.ncbi.nlm.nih.gov/32077441>

Pages web, news ou documents audio

3 références

- [1] Hallas L. Laura Hallas: Covid-19 is a timely reminder we need to improve global diagnostic capacity. The BMJ opinion. 2020 (col. 21/02/2020). Disponible:

<https://blogs.bmj.com/bmj/2020/02/20/laura-hallas-covid-19-is-a-timely-reminder-we-need-to-improve-global-diagnostic-capacity/>

[2] Mahase E. Coronavirus: Wales tests 90% of suspected patients in their own home. BMJ (news). 2020;368:m698.

<https://www.bmj.com/content/bmj/368/bmj.m698.full.pdf>

[3] Schnirring L. Iran notes more COVID-19 cases as 2 from Diamond Princess die. CIDRAP. 2020 (col. 21/02/2020). Disponible: <http://www.cidrap.umn.edu/news-perspective/2020/02/iran-notes-more-covid-19-cases-2-diamond-princess-die>