

2020-02-10 Novel Coronavirus_Daily Article List

Articles publiés ou *In press*

30 références

- [1] Bajema KL OA, McGovern OL, et al. Persons Evaluated for 2019 Novel Coronavirus — United States, January 2020. Morb Mortal Wkly Rep. 2020.
https://www.cdc.gov/mmwr/volumes/69/wr/mm6906e1.htm?s_cid=mm6906e1_x
- [2] Bao Y, Sun Y, Meng S, Shi J, Lu L. 2019-nCoV epidemic: address mental health care to empower society. The Lancet. 2020.
<http://www.sciencedirect.com/science/article/pii/S0140673620303093>
- [3] Battegay M, Kuehl R, Tschudin-Sutter S, Hirsch HH, Widmer AF, Neher RA. 2019-novel Coronavirus (2019-nCoV): estimating the case fatality rate - a word of caution. Swiss Med Wkly. 2020;150:w20203-w.
<https://www.ncbi.nlm.nih.gov/pubmed/32031234>
- [4] Chang D, Lin M, Wei L, Xie L, Zhu G, Dela Cruz CS, et al. Epidemiologic and Clinical Characteristics of Novel Coronavirus Infections Involving 13 Patients Outside Wuhan, China. JAMA. 2020.
<https://doi.org/10.1001/jama.2020.1623>
- [5] Chen J. Pathogenicity and Transmissibility of 2019-nCoV-A Quick Overview and Comparison with Other Emerging Viruses. Microbes and infection. 2020:S1286-4579(20)30026-5.
<https://www.ncbi.nlm.nih.gov/pubmed/32032682>
- [6] Chiodini J. Maps, masks and media – Traveller and practitioner resources for 2019 novel coronavirus (2019-nCoV) acute respiratory virus. Travel Medicine and Infectious Disease. 2020:101574.
<http://www.sciencedirect.com/science/article/pii/S1477893920300247>
- [7] Dennis Lo YM, Chiu RWK. Racing towards the development of diagnostics for a novel coronavirus (2019-nCoV). Clinical chemistry. 2020:hvaa038.
<https://www.ncbi.nlm.nih.gov/pubmed/32031590>
- [8] Doust JA, Bell KJL, Glasziou PP. Potential Consequences of Changing Disease Classifications. JAMA. 2020.
<https://doi.org/10.1001/jama.2019.22373>
- [9] ECDC. Interim guidance for environmental cleaning in non-healthcare facilities exposed to 2019-nCoV. 2020.
<https://www.ecdc.europa.eu/en/publications-data/interim-guidance-environmental-cleaning-non-healthcare-facilities-exposed-2019>
- [10] Fang Y, Zhang H, Xu Y, Xie J, Pang P, Ji W. CT Manifestations of Two Cases of 2019 Novel Coronavirus (2019-nCoV) Pneumonia. Radiology. 2020:200280-.

<https://www.ncbi.nlm.nih.gov/pubmed/32031481>

[11] Hanscheid T, Valadas E, Grobusch MP. Coronavirus 2019-nCoV: Is the genie already out of the bottle? Travel Medicine and Infectious Disease. 2020:101577.

<http://www.sciencedirect.com/science/article/pii/S1477893920300272>

[12] Huang NE, Qiao F. A data driven time-dependent transmission rate for tracking an epidemic: a case study of 2019-nCoV. Science Bulletin. 2020.

<http://www.sciencedirect.com/science/article/pii/S2095927320300669>

[13] Hui L, Liu X, Tan Q, Feng M, An J, Qu Y, et al. VOC characteristics, chemical reactivity and sources in urban Wuhan, central China. Atmospheric Environment. 2020:117340.

<http://www.sciencedirect.com/science/article/pii/S1352231020300819>

[14] Jin Y-H, Cai L, Cheng Z-S, Cheng H, Deng T, Fan Y-P, et al. A rapid advice guideline for the diagnosis and treatment of 2019 novel coronavirus (2019-nCoV) infected pneumonia (standard version). Mil Med Res. 2020;7(1):4-.

<https://www.ncbi.nlm.nih.gov/pubmed/32029004>

[15] Kampf G, Todt D, Pfaender S, Steinmann E. Persistence of coronaviruses on inanimate surfaces and its inactivation with biocidal agents. J Hosp Infect. 2020:S0195-6701(20)30046-3.

<https://www.ncbi.nlm.nih.gov/pubmed/32035997>

[16] Kim JY, Choe PG, Oh Y, Oh KJ, Kim J, Park SJ, et al. The First Case of 2019 Novel Coronavirus Pneumonia Imported into Korea from Wuhan, China: Implication for Infection Prevention and Control Measures. J Korean Med Sci. 2020;35(5):e61-e.

<https://www.ncbi.nlm.nih.gov/pubmed/32030925>

[17] Kirby T. Australian Government releases face masks to protect against coronavirus. The Lancet Respiratory Medicine. 2020.

<http://www.sciencedirect.com/science/article/pii/S2213260020300643>

[18] Li J, Li J, Xie X, Cai X, Huang J, Tian X, et al. Game consumption and the 2019 novel coronavirus. The Lancet Infectious Diseases. 2020.

<http://www.sciencedirect.com/science/article/pii/S1473309920300633>

[19] Liao X, Wang B, Kang Y. Novel coronavirus infection during the 2019–2020 epidemic: preparing intensive care units—the experience in Sichuan Province, China. Intensive Care Medicine. 2020.

<https://doi.org/10.1007/s00134-020-05954-2>

[20] Mahase E. Novel coronavirus: Australian GPs raise concerns about shortage of face masks. BMJ. 2020;368:m477.

<https://www.bmj.com/content/bmj/368/bmj.m477.full.pdf>

[21] Mowbray H. In Beijing, coronavirus 2019-nCoV has created a siege mentality. BMJ. 2020;368.

<https://www.bmj.com/content/368/bmj.m516>

- [22] Nishiura H, Kobayashi T, Yang Y, Hayashi K, Miyama T, Kinoshita R, et al. The Rate of Underascertainment of Novel Coronavirus (2019-nCoV) Infection: Estimation Using Japanese Passengers Data on Evacuation Flights. *J Clin Med*. 2020;9(2):E419.
https://res.mdpi.com/d_attachment/jcm/jcm-09-00419/article_deploy/jcm-09-00419.pdf
- [23] Rahman Qureshi UU, Saleem S, Khan A, Afzal MS, Ali MS, Ahmed H. Outbreak of novel Corona Virus (2019-nCoV); implications for travelers to Pakistan? *Travel medicine and infectious disease*. 2020:101571-.
<https://www.ncbi.nlm.nih.gov/pubmed/32032674>
- [24] Rodríguez-Morales AJ, MacGregor K, Kanagarajah S, Patel D, Schlagenhauf P. Going global – Travel and the 2019 novel coronavirus. *Travel Medicine and Infectious Disease*. 2020:101578.
<http://www.sciencedirect.com/science/article/pii/S1477893920300284>
- [25] Shen K, Yang Y, Wang T, Zhao D, Jiang Y, Jin R, et al. Diagnosis, treatment, and prevention of 2019 novel coronavirus infection in children: experts' consensus statement. *World J Pediatr*. 2020:10.1007/s12519-020-00343-7. <https://link.springer.com/content/pdf/10.1007/s12519-020-00343-7.pdf>
- [26] Shi H, Han X, Zheng C. Evolution of CT Manifestations in a Patient Recovered from 2019 Novel Coronavirus (2019-nCoV) Pneumonia in Wuhan, China. *Radiology*. 2020:200269-.
<https://www.ncbi.nlm.nih.gov/pubmed/32032497>
- [27] Shigemura J, Ursano RJ, Morganstein JC, Kurosawa M, Benedek DM. Public responses to the novel 2019 coronavirus (2019-nCoV) in Japan: mental health consequences and target populations. *Psychiatry Clin Neurosci*. 2020:10.1111/pcn.12988.
<https://onlinelibrary.wiley.com/doi/abs/10.1111/pcn.12988>
- [28] Thompson R. Pandemic potential of 2019-nCoV. *The Lancet Infectious Diseases*. 2020.
<http://www.sciencedirect.com/science/article/pii/S1473309920300682>
- [29] Wang J, Qi H, Bao L, Li F, Shi Y. A contingency plan for the management of the 2019 novel coronavirus outbreak in neonatal intensive care units. *The Lancet Child & Adolescent Health*. 2020.
<http://www.sciencedirect.com/science/article/pii/S2352464220300407>
- [30] Zhang Z, Li X, Zhang W, Shi Z-L, Zheng Z, Wang T. Clinical Features and Treatment of 2019-nCoV Pneumonia Patients in Wuhan: Report of A Couple Cases. *Virology*. 2020:10.1007/s12250-020-00203-8.
<https://www.ncbi.nlm.nih.gov/pubmed/32034637>

Preprints

5 références

[Un rappel : il s'agit de rapports préliminaires qui n'ont pas fait l'objet d'un examen par les pairs. Ils ne doivent pas être considérés comme concluants, ni guider la pratique clinique ou les comportements liés à la santé, ni être présentés dans les médias comme des informations établies.]

- [1] Cao Z, Zhang Q, Lu X, Pfeiffer D, Wang L, Song H, et al. Incorporating Human Movement Data to Improve Epidemiological Estimates for 2019-nCoV. medRxiv. 2020:2020.02.07.20021071.
<https://www.medrxiv.org/content/medrxiv/early/2020/02/09/2020.02.07.20021071.full.pdf>
- [2] Guan W-j, Ni Z-y, Hu Y, Liang W-h, Ou C-q, He J-x, et al. Clinical characteristics of 2019 novel coronavirus infection in China. medRxiv. 2020:2020.02.06.20020974.
<https://www.medrxiv.org/content/medrxiv/early/2020/02/09/2020.02.06.20020974.full.pdf>
- [3] Park SW, Bolker BM, Champredon D, Earn DJD, Li M, Weitz JS, et al. Reconciling early-outbreak estimates of the basic reproductive number and its uncertainty: a new framework and applications to the novel coronavirus (2019-nCoV) outbreak. medRxiv. 2020:2020.01.30.20019877.
<https://www.medrxiv.org/content/medrxiv/early/2020/02/07/2020.01.30.20019877.full.pdf>
- [4] Yang XaY, Yuan and Xu, Jiqian and Shu, Huaqing and Xia, Jia'an and Wu, Yongran and Liu, Hong and Zhang, Lu and Yu, Zhui and Fang, Minghao and Yu, Ting and Wang, Yaxin and Pan, Shangwen and Zou, Xiaojing and Yuan, Shiyong and Shang, You. Clinical Course and Outcomes of Critically Ill Patients of 2019 Novel Coronavirus Pneumonia. Preprint Lancet. 2020.
https://papers.ssrn.com/sol3/papers.cfm?abstract_id=3532535
- [5] Zhao Q, Chen Y, Small DS. Analysis of the epidemic growth of the early 2019-nCoV outbreak using internationally confirmed cases. medRxiv. 2020:2020.02.06.20020941.
<https://www.medrxiv.org/content/medrxiv/early/2020/02/09/2020.02.06.20020941.full.pdf>

Documents gouvernementaux

23 références

- [1] Australian Government. Department of health. Nouvelles fiches d'information [mis à jour le 10 février]. Australian Government. Department of health; 2020. [consulté le 05/02/2020]. Disponible: https://www.health.gov.au/resources?search_api_views_fulltext=2019-nCoV
- [2] CDC. Interim Guidelines for Collecting, Handling, and Testing Clinical Specimens from Persons Under Investigation (PUIs) for 2019 Novel Coronavirus (2019-nCoV) [En ligne]. : 2020. [modifié le ; cité le]. Disponible: https://www.cdc.gov/coronavirus/2019-ncov/lab/guidelines-clinical-specimens.html?CDC_AA_refVal=https%3A%2F%2Fwww.cdc.gov%2Fcoronavirus%2F2019-ncov%2Fguidelines-clinical-specimens.html
- [3] CDC. Interim Laboratory Biosafety Guidelines for Handling and Processing Specimens Associated with 2019 Novel Coronavirus (2019-nCoV) [En ligne]. : 2020. [modifié le ; cité le]. Disponible: https://www.cdc.gov/coronavirus/2019-ncov/lab/lab-biosafety-guidelines.html?CDC_AA_refVal=https%3A%2F%2Fwww.cdc.gov%2Fcoronavirus%2F2019-ncov%2Flab-biosafety-guidelines.html
- [4] CDC. Real-Time RT-PCR Panel for Detection 2019-Novel Coronavirus. 2020. Disponible: <https://www.cdc.gov/coronavirus/2019-ncov/lab/rt-pcr-detection-instructions.html>

- [5] CDC. Interim Guidance for Businesses and Employers to Plan and Respond to 2019 Novel Coronavirus (2019-nCoV), February 2020 [En ligne]. : 2020. [modifié le ; cité le]. Disponible: <https://www.cdc.gov/coronavirus/2019-ncov/guidance-business-response.html>
- [6] CDC. Information for Public Health Professionals [mis en ligne le 6 février] [En ligne]. : 2020. [modifié le ; cité le]. Disponible: <https://www.cdc.gov/coronavirus/2019-ncov/php/index.html>
- [7] CDC. Initial Public Health Response and Interim Clinical Guidance for the 2019 Novel Coronavirus Outbreak — United States, December 31, 2019–February 4, 2020 [En ligne]. : 2020. [modifié le ; cité le]. Disponible: <https://www.cdc.gov/mmwr/volumes/69/wr/mm6905e1.htm>
- [8] CDC. Information for Healthcare Professionals [mis en ligne le 8 février] [En ligne]. : 2020. [modifié le ; cité le]. Disponible: <https://www.cdc.gov/coronavirus/2019-ncov/hcp/index.html>
- [9] CDC. CDC Grows 2019-nCoV Virus in Cell Culture [En ligne]. : 2020. [modifié le ; cité le]. Disponible: <https://www.cdc.gov/coronavirus/2019-ncov/about/grows-virus-cell-culture.html>
- [10] CDC. Information for Laboratories [mis en ligne le 9 février] [En ligne]. : 2020. [modifié le ; cité le]. Disponible: <https://www.cdc.gov/coronavirus/2019-ncov/lab/index.html>
- [11] CDC. Pandemic Preparedness Resources [mis à jour le 7/02/2020] [En ligne]. : 2020. [modifié le ; cité le]. Disponible: <https://www.cdc.gov/coronavirus/2019-ncov/php/pandemic-preparedness-resources.html>
- [12] ECDC. Current risk assessment on the novel coronavirus situation, 9 February 2020 [En ligne]. : 2020. [modifié le ; cité le]. Disponible: <https://www.ecdc.europa.eu/en/current-risk-assessment-novel-coronavirus-situation>
- [13] ECDC. Personal protective equipment (PPE) needs in healthcare settings for the care of patients with suspected or confirmed novel coronavirus (2019-nCoV). 2020. Disponible: <https://www.ecdc.europa.eu/en/publications-data/personal-protective-equipment-ppe-needs-healthcare-settings-care-patients>
- [14] ECDC. Laboratory support [mis à jour le 8 février 2020] [En ligne]. : 2020. [modifié le ; cité le]. Disponible: <https://www.ecdc.europa.eu/en/novel-coronavirus/laboratory-support>
- [15] ECDC. Guidelines for the use of non-pharmaceutical measures to delay and mitigate the impact of 2019-nCoV. 2020. Disponible: <https://www.ecdc.europa.eu/en/publications-data/guidelines-use-non-pharmaceutical-measures-delay-and-mitigate-impact-2019-ncov>
- [16] England PH. Guidance for healthcare providers: healthcare workers who have travelled to China and other specified areas/countries [mis à jour le 09/02/2020] [En ligne]. : 2020. [modifié le ; cité le]. Disponible: <https://www.gov.uk/government/publications/novel-coronavirus-2019-ncov-guidance-for-healthcare-providers-with-staff-who-have-travelled-to-china/guidance-for-healthcare-providers-healthcare-workers-who-have-travelled-to-china>
- [17] England PH. Interim guidance for first responders and others in close contact with symptomatic people with potential 2019-nCoV [mis à jour le 08/02/2020] [En ligne]. : 2020. [modifié

le ; cité le]. Disponible: <https://www.gov.uk/government/publications/novel-coronavirus-2019-ncov-interim-guidance-for-first-responders/interim-guidance-for-first-responders-and-others-in-close-contact-with-symptomatic-people-with-potential-2019-ncov>

[18] PAHO. Laboratory Guidelines for Detection and Diagnosis of the Novel Coronavirus (2019-nCoV) Infection. 2020. Disponible: <https://www.paho.org/en/node/68888>

[19] Public Health England. Novel coronavirus (2019-nCoV): epidemiology, virology and clinical features. Guidance [Mis à jour le 09/02/2020]. PHE; 2020. [consulté le 03/02/2020]. Disponible: <https://www.gov.uk/government/publications/wuhan-novel-coronavirus-background-information>

[20] Public Health England. Investigation and initial clinical management of possible cases of novel coronavirus (2019-nCoV) infection. Guidance [Mis à jour le 09/02/2020] [En ligne]. : Public Health England; 2020. [modifié le 07/02/2020; cité le 06/02/2020]. Disponible: <https://www.gov.uk/government/publications/wuhan-novel-coronavirus-initial-investigation-of-possible-cases/investigation-and-initial-clinical-management-of-possible-cases-of-wuhan-novel-coronavirus-wn-cov-infection>

[21] Public Health England. Management of a suspected case of 2019-nCoV acute respiratory disease (Flow chart) v.5[Mis à jour le 07/02/2020] [En ligne]. : Public Health England; 2020. [modifié le 04/02/2020; cité le 06/02/2020]. Disponible: https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/864209/2019-nCoV_flow_chart.pdf

[22] Security JHCfH. Diagnostic Testing for 2019-nCoV. 2020. Disponible: <http://www.centerforhealthsecurity.org/resources/2019-nCoV/200130-nCoV-diagnostics-factsheet.pdf>

[23] WHO. Home care for patients with suspected novel coronavirus (nCoV) infection presenting with mild symptoms and management of contacts. 2020. Disponible: [https://www.who.int/publications-detail/home-care-for-patients-with-suspected-novel-coronavirus-\(ncov\)-infection-presenting-with-mild-symptoms-and-management-of-contacts](https://www.who.int/publications-detail/home-care-for-patients-with-suspected-novel-coronavirus-(ncov)-infection-presenting-with-mild-symptoms-and-management-of-contacts)

Articles en chinois et coréen

5 référence

[Un résumé en anglais est disponible]

[1] Group of Interventional Respiratory Medicine CTS. Expert consensus for bronchoscopy during the epidemic of 2019 Novel Coronavirus infection (trial version) [article en chinois]. Zhonghua Jie He He Hu Xi Za Zhi. 2020;43(0):E006-E. <https://www.ncbi.nlm.nih.gov/pubmed/32033514>

[2] in L, Li TS. Interpretation of "Guidelines for the Diagnosis and Treatment of Novel Coronavirus (2019-nCoV) Infection by the National Health Commission (Trial Version 5)" [article en chinois]. Zhonghua Yi Xue Za Zhi. 2020;100(0):E001-E. <https://www.ncbi.nlm.nih.gov/pubmed/32033513>

[3] Ki M, nCoV TFF. Epidemiologic characteristics of early cases with 2019 novel coronavirus (2019-nCoV) disease in Republic of Korea [article en coréen]. Epidemiology and health. 2020:e2020007-e.

<https://www.ncbi.nlm.nih.gov/pubmed/32035431>

[4] Zhang MC, Xie HT, Xu KK, Cao Y. Suggestions for disinfection of ophthalmic examination equipment and protection of ophthalmologist against 2019 novel coronavirus infection [article en chinois]. Zhonghua Yan Ke Za Zhi. 2020;56(0):E001-E.

<https://www.ncbi.nlm.nih.gov/pubmed/32035428>

[5] Zhao JP, Hu Y, Du RH, Chen ZS, Jin Y, Zhou M, et al. Expert consensus on the use of corticosteroid in patients with 2019-nCoV pneumonia [article en chinois]. Zhonghua Jie He He Hu Xi Za Zhi. 2020;43(0):E007-E.

<https://www.ncbi.nlm.nih.gov/pubmed/32034899>

Documents de prévention et infographie

3 références

[1] ECDC. Infographic: Novel coronavirus [En ligne]. : 2020. [modifié le 09/02/2020; cité le]. Disponible: <https://www.ecdc.europa.eu/en/publications-data/infographic-novel-coronavirus>

[2] Government S. 2019 Novel Coronavirus Resources [mis en ligne le 09/02/2020] [En ligne]. : 2020. [modifié le ; cité le]. Disponible: <https://www.gov.sg/article/2019-ncov-resources>

[3] WHO. Novel Coronavirus (2019-nCoV) advice for the public [En ligne]. : 2020. [modifié le ; cité le]. Disponible: <https://www.who.int/emergencies/diseases/novel-coronavirus-2019/advice-for-public>