

2020-02-17 Novel Coronavirus_Daily Article List

Articles publiés ou *In press*

25 références

- [1] Department of Error : refers to : Chen Wang, Peter W Horby, Frederick G Hayden, George F Gao. A novel coronavirus outbreak of global health concern. The Lancet, Volume 395, Issue 10223, 15–21 February 2020, Pages 470-473. The Lancet. 2020;395(10223):496.
<http://www.sciencedirect.com/science/article/pii/S0140673620302506>
- [2] Department of Error : refers to : Chaolin Huang, Yeming Wang, Xingwang Li, et al. Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China. The Lancet, Volume 395, Issue 10223, 15–21 February 2020, Pages 497-506. The Lancet. 2020;395(10223):496.
<http://www.sciencedirect.com/science/article/pii/S014067362030252X>
- [3] Chen Y, Liu Q, Guo D. Emerging coronaviruses: Genome structure, replication, and pathogenesis. J Med Virol. ;n/a(n/a).
<https://doi.org/10.1002/jmv.25681>
- [4] Colson P, Rolain J-M, Raoult D. Chloroquine for the 2019 novel coronavirus. International Journal of Antimicrobial Agents. 2020:105923.
<https://doi.org/10.1016/j.ijantimicag.2020.105923>
- [5] de Wit E, Feldmann F, Cronin J, Jordan R, Okumura A, Thomas T, et al. Prophylactic and therapeutic remdesivir (GS-5734) treatment in the rhesus macaque model of MERS-CoV infection. Proc Natl Acad Sci U S A. 2020:201922083.
<https://www.pnas.org/content/early/2020/02/12/1922083117>
- [6] Gu X, Cao B, Wang J. Full spectrum of COVID-19 severity still being depicted – Authors' reply. The Lancet.
[https://doi.org/10.1016/S0140-6736\(20\)30371-8](https://doi.org/10.1016/S0140-6736(20)30371-8)
- [7] Ji X, Li Z. Medicinal chemistry strategies toward host targeting antiviral agents. Medicinal Research Reviews. ;n/a(n/a).
<https://doi.org/10.1002/med.21664>
- [8] Jiang S, Shi Z-L. The First Disease X is Caused by a Highly Transmissible Acute Respiratory Syndrome Coronavirus. Virol Sin. 2020:10.1007/s12250-020-00206-5.
<https://doi.org/10.1007/s12250-020-00206-5>
- [9] Jiang X, Rayner S, Luo M-H. Does SARS-CoV-2 has a longer incubation period than SARS and MERS? J Med Virol. 2020:10.1002/jmv.25708.
<https://onlinelibrary.wiley.com/doi/abs/10.1002/jmv.25708>
- [10] Jin H, Lu L, Liu J, Cui M. Novel coronavirus pneumonia emergency in Zhuhai: impact and challenges. Journal of Hospital Infection. 2020.
<https://doi.org/10.1016/j.jhin.2020.02.005>

- [11] Jung S-m, Akhmetzhanov AR, Hayashi K, Linton NM, Yang Y, Yuan B, et al. Real-Time Estimation of the Risk of Death from Novel Coronavirus (COVID-19) Infection: Inference Using Exported Cases. *J Clin Med*. 2020;9(2):523.
<https://www.mdpi.com/2077-0383/9/2/523>
- [12] Lee KS. Pneumonia Associated with 2019 Novel Coronavirus: Can Computed Tomographic Findings Help Predict the Prognosis of the Disease? *Korean J Radiol*. 2020;10.3348/kjr.2020.0096.
<https://doi.org/10.3348/kjr.2020.0096>
- [13] Liang W, Guan W, Chen R, Wang W, Li J, Xu K, et al. Cancer patients in SARS-CoV-2 infection: a nationwide analysis in China. *The Lancet Oncology*. 2020.
[https://doi.org/10.1016/S1470-2045\(20\)30096-6](https://doi.org/10.1016/S1470-2045(20)30096-6)
- [14] Lim J, Jeon S, Shin HY, Kim MJ, Seong YM, Lee WJ, et al. Case of the Index Patient Who Caused Tertiary Transmission of COVID-19 Infection in Korea: the Application of Lopinavir/Ritonavir for the Treatment of COVID-19 Infected Pneumonia Monitored by Quantitative RT-PCR. *J Korean Med Sci*. 2020;35(6):e79-e.
<https://jkms.org/DOIx.php?id=10.3346/jkms.2020.35.e79>
- [15] Lin X, Gong Z, Xiao Z, Xiong J, Fan B, Liu J. Novel Coronavirus Pneumonia Outbreak in 2019: Computed Tomographic Findings in Two Cases. *Korean J Radiol*. 2020;10.3348/kjr.2020.0078.
<https://doi.org/10.3348/kjr.2020.0078>
- [16] Liu J, Zheng X, Tong Q, Li W, Wang B, Sutter K, et al. Overlapping and discrete aspects of the pathology and pathogenesis of the emerging human pathogenic coronaviruses SARS-CoV, MERS-CoV, and 2019-nCoV. *J Med Virol*. 2020;10.1002/jmv.25709.
<https://doi.org/10.1002/jmv.25709>
- [17] Marty A, Jones MK. The novel Coronavirus (2019-nCoV) is a one health issue. *One Health*. 2020;100123.
<https://doi.org/10.1016/j.onehlt.2020.100123>
- [18] Pan Y, Guan H, Zhou S, Wang Y, Li Q, Zhu T, et al. Initial CT findings and temporal changes in patients with the novel coronavirus pneumonia (2019-nCoV): a study of 63 patients in Wuhan, China. *European radiology*. 2020;10.1007/s00330-020-6731-x.
<https://doi.org/10.1007/s00330-020-6731-x>
- [19] Rodriguez-Morales AJ, Bonilla-Aldana DK, Balbin-Ramon GJ, Rabaan AA, Sah R, Paniz-Mondolfi A, et al. History is repeating itself: Probable zoonotic spillover as the cause of the 2019 novel Coronavirus Epidemic. *Le Infezioni in Medicina*. ;28(1):3-5.
https://www.infezmed.it/index.php/article?Anno=2020&numero=1&ArticoloDaVisualizzare=Vol_28_1_2020_3
- [20] Wang X, Zhang X, He J. Challenges to the system of reserve medical supplies for public health emergencies: reflections on the outbreak of the severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) epidemic in China. *Biosci Trends*. 2020;10.5582/bst.2020.01043.
<https://doi.org/10.5582/bst.2020.01043>

- [21] Wassenaar TM, Zou Y. 2019_nCoV: Rapid classification of betacoronaviruses and identification of traditional Chinese medicine as potential origin of zoonotic coronaviruses. Lett Appl Microbiol. 2020:10.1111/lam.13285.
<https://doi.org/10.1111/lam.13285>
- [22] Wei M, Yuan J, Liu Y, Fu T, Yu X, Zhang Z-J. Novel Coronavirus Infection in Hospitalized Infants Under 1 Year of Age in China. JAMA. 2020:10.1001/jama.2020.131.
<https://doi.org/10.1001/jama.2020.2131>
- [23] Xiao C, Li X, Liu S, Sang Y, Gao S-J, Gao F. HIV-1 did not contribute to the 2019-nCoV genome. Emerg Microbes Infect. 2020;9(1):378-81.
<https://doi.org/10.1080/22221751.2020.1727299>
- [24] Xu X, Yu C, Zhang L, Luo L, Liu J. Imaging features of 2019 novel coronavirus pneumonia. Eur J Nucl Med Mol Imaging. 2020:10.1007/s00259-020-4720-2.
<https://doi.org/10.1007/s00259-020-04720-2>
- [25] Xu Z, Li S, Tian S, Li H, Kong L-q. Full spectrum of COVID-19 severity still being depicted. The Lancet. 2020.
[https://doi.org/10.1016/S0140-6736\(20\)30308-1](https://doi.org/10.1016/S0140-6736(20)30308-1)

Preprints

11 références

[Un rappel : il s'agit de rapports préliminaires qui n'ont pas fait l'objet d'un examen par les pairs. Ils ne doivent pas être considérés comme concluants, ni guider la pratique clinique ou les comportements liés à la santé, ni être présentés dans les médias comme des informations établies.]

- [1] Ai J-W, Zhang H-C, Xu T, Wu J, Zhu M, Yu Y-Q, et al. Optimizing diagnostic strategy for novel coronavirus pneumonia, a multi-center study in Eastern China. medRxiv. 2020:2020.02.13.20022673.
<https://www.medrxiv.org/content/10.1101/2020.02.13.20022673v1>
- [2] Cui H, Gao Z, Liu M, Lu S, Mo S, Mkandawire W, et al. Structural genomics and interactomics of 2019 Wuhan novel coronavirus, 2019-nCoV, indicate evolutionary conserved functional regions of viral proteins. bioRxiv. 2020:2020.02.10.942136.
<https://www.biorxiv.org/content/10.1101/2020.02.10.942136v1>
- [3] De Salazar PM, Niehus R, Taylor A, Lipsitch M. Estimating underdetection of internationally imported COVID-19 cases. medRxiv. 2020:2020.02.13.20022707.
<https://www.medrxiv.org/content/10.1101/2020.02.13.20022707v1>
- [4] Gamero J, Tamayo JA, Martínez-Román JA. Forecast of the evolution of the contagious disease caused by novel coronavirus (2019-nCoV) in China. 2020:arXiv:2002.04739.
<https://arxiv.org/abs/2002.04739>

- [5] Guo X, Guo Z, Duan C, chen Z, Wang G, Lu Y, et al. Long-Term Persistence of IgG Antibodies in SARS-CoV Infected Healthcare Workers. medRxiv. 2020:2020.02.12.20021386.
<https://www.medrxiv.org/content/10.1101/2020.02.12.20021386v1>
- [6] Meng T, Cao H, Zhang H, Kang Z, Xu D, Gong H, et al. The insert sequence in SARS-CoV-2 enhances spike protein cleavage by TMPRSS. bioRxiv. 2020:2020.02.08.926006.
<https://www.biorxiv.org/content/10.1101/2020.02.08.926006v3>
- [7] Neher RA, Dyrda R, Druelle V, Hodcroft EB, Albert J. Impact of seasonal forcing on a potential SARS-CoV-2 pandemic. medRxiv. 2020:2020.02.13.20022806.
<https://www.medrxiv.org/content/10.1101/2020.02.13.20022806v1>
- [8] Tomie T. Understanding the present status and forecasting of COVID—19 in Wuhan. medRxiv. 2020:2020.02.13.20022251.
<https://www.medrxiv.org/content/10.1101/2020.02.13.20022251v1>
- [9] Wahba L, Jain N, Fire AZ, Shoura MJ, Artiles KL, McCoy MJ, et al. Identification of a pangolin niche for a 2019-nCoV-like coronavirus through an extensive meta-metagenomic search. bioRxiv. 2020:2020.02.08.939660.
<https://www.biorxiv.org/content/10.1101/2020.02.08.939660v2>
- [10] Wrapp D, Wang N, Corbett KS, Goldsmith JA, Hsieh C-L, Abiona O, et al. Cryo-EM Structure of the 2019-nCoV Spike in the Prefusion Conformation. bioRxiv. 2020:2020.02.11.944462.
<https://www.biorxiv.org/content/10.1101/2020.02.11.944462v1>
- [11] Zeng T, Zhang Y, Li Z, Liu X, Qiu B. Predictions of 2019-nCoV Transmission Ending via Comprehensive Methods. 2020:arXiv:2002.04945.
<https://arxiv.org/abs/2002.04945>

Documents gouvernementaux

6 références

- [1] Australian Government. Department of health. Nouvelles fiches d'information [mis à jour le 17 février]. Australian Government - Department of health; 2020.
<https://www.health.gov.au/resources/collections/novel-coronavirus-2019-ncov-resources>
- [2] CDC. Interim Guidance for Childcare Programs and K-12 Schools [mis à jour le 16/02/2020]. 2020. [modifié le 16/02/2020].
<https://www.cdc.gov/coronavirus/2019-ncov/specific-groups/guidance-for-schools.html>
- [3] ECDC. Guidance on community engagement for public health events caused by communicable disease threats in the EU/EEA. Solna, Sweden : ECDC; 2020.
<https://www.ecdc.europa.eu/en/publications-data/guidance-community-engagement-public-health-events-caused-communicable-disease>
- [4] ECDC. Outbreak of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2): increased transmission beyond China – fourth update, 14 February 2020. 2020. [consulté le 17/02/2020].

<https://www.ecdc.europa.eu/en/publications-data/outbreak-severe-acute-respiratory-syndrome-coronavirus-2-sars-cov-2-increased>

[5] Gouvernement du Canada. Maladie à coronavirus (COVID-19) : Conseils aux voyageurs [Mis à jour le 17/02/2020] [En ligne]. : Gouvernement du Canada; 2020. [modifié le 17/02/2020]
<https://www.canada.ca/fr/sante-publique/services/maladies/2019-nouveau-coronavirus/derniers-conseils-sante-voyageurs.html>

[6] Gouvernement du Québec - MSSS. Algorithme décisionnel clinique pour coronavirus COVID-19. Québec: MSSS; 2020. [modifié le 13/02/2020].
<https://msss.gouv.qc.ca/professionnels/documents/coronavirus-2019-ncov/Algorithme-decisionnel-clinique-covid-19.pdf>

Articles en chinois

9 références

[Un résumé en anglais est disponible]

[1] Critical care committee of Chinese Association of Chest Physician, Respiratory critical care group of Chinese Thoracic Society, Respiratory care group of Chinese Thoracic Society. [Conventional respiratory support therapy for Severe Acute Respiratory Infections (SARI): Clinical indications and nosocomial infection prevention and control]. Zhonghua Jie He He Hu Xi Za Zhi. 2020;43(0):E015-E.
<https://pubmed.ncbi.nlm.nih.gov/32061199>

[2] Du B, Qiu HB, Zhan X, Wang YS, Kang HYJ, Li XY, et al. [Pharmacotherapeutics for the New Coronavirus Pneumonia]. Zhonghua Jie He He Hu Xi Za Zhi. 2020;43(0):E012-E.
<https://pubmed.ncbi.nlm.nih.gov/32057209>

[3] Feng K, Yun YX, Wang XF, Yang GD, Zheng YJ, Lin CM, et al. [Analysis of CT features of 15 Children with 2019 novel coronavirus infection]. Zhonghua Er Ke Za Zhi. 2020;58(0):E007-E.
<https://pubmed.ncbi.nlm.nih.gov/32061200>

[4] Li ZY, Meng LY. [The prevention and control of a new coronavirus infection in department of stomatology]. Zhonghua Kou Qiang Yi Xue Za Zhi. 2020;55(0):E001-E.
<https://pubmed.ncbi.nlm.nih.gov/32057210>

[5] Special Expert Group for Control of the Epidemic of Novel Coronavirus Pneumonia of the Chinese Preventive Medicine Association. [An update on the epidemiological characteristics of novel coronavirus pneumonia (COVID-19)]. Zhonghua Liu Xing Bing Xue Za Zhi. 2020;41(2):139-44.
<https://pubmed.ncbi.nlm.nih.gov/32057211>

[6] Sun ML, Yang JM, Sun YP, Su GH. [Inhibitors of RAS Might Be a Good Choice for the Therapy of COVID-19 Pneumonia]. Zhonghua Jie He He Hu Xi Za Zhi. 2020;43(0):E014-E.
<https://pubmed.ncbi.nlm.nih.gov/32061198>

[7] Tao KX, Zhang BX, Zhang P, Zhu P, Wang GB, Chen XP, et al. [Recommendations for general surgery clinical practice in novel coronavirus pneumonia situation]. Zhonghua Wai Ke Za Zhi. 2020;58(0):E001-E.

<https://pubmed.ncbi.nlm.nih.gov/32057212>

[8] Wang XF, Yuan J, Zheng YJ, Chen J, Bao YM, Wang YR, et al. [Clinical and epidemiological characteristics of 34 children with 2019 novel coronavirus infection in Shenzhen]. Zhonghua Er Ke Za Zhi. 2020;58(0):E008-E.

<https://pubmed.ncbi.nlm.nih.gov/32062875>

[9] Zhang MQ, Wang XH, Chen YL, Zhao KL, Cai YQ, An CL, et al. [Clinical features of 2019 novel coronavirus pneumonia in the early stage from a fever clinic in Beijing]. Zhonghua Jie He He Hu Xi Za Zhi. 2020;43(0):E013-E.

<https://pubmed.ncbi.nlm.nih.gov/32061066>

Pages web, blogs, news

9 références

[1] First case in Africa detected [News]. Nature; 2020. [modifié le 17/02/2020].

<https://www.nature.com/articles/d41586-020-00154-w>

[2] CIDRAP. CDC: Flu surveillance system enlisted in hunt for COVID-19 cases [Mis en ligne le 14/02/2020] [En ligne]. : CIDRAP; 2020.

<http://www.cidrap.umn.edu/news-perspective/2020/02/cdc-flu-surveillance-system-enlisted-hunt-covid-19-cases>

[3] CIDRAP. US hospitals prepare for COVID-19 amid uncertainty [Mis en ligne le 14/02/2020] CIDRAP; 2020.

<http://www.cidrap.umn.edu/news-perspective/2020/02/us-hospitals-prepare-covid-19-amid-uncertainty>

[4] CIDRAP. COVID-19 sickens over 1,700 health workers in China, killing 6 [Mis en ligne le 14/02/2020]. CIDRAP; 2020

<http://www.cidrap.umn.edu/news-perspective/2020/02/covid-19-sickens-over-1700-health-workers-china-killing-6>

[5] CIDRAP. As cruise ship COVID-19 numbers climb, nations evacuate passengers [Mis en ligne le 16/02/2020]. CIDRAP; 2020.

<http://www.cidrap.umn.edu/news-perspective/2020/02/cruise-ship-covid-19-numbers-climb-nations-evacuate-passengers>

[6] Larivière V, Shu F, Sugimoto CR. Coronavirus et édition savante : une question de transmission. Acfas Magazine 2020 [consulté le 17/02/2020]

<https://www.acfas.ca/publications/magazine/2020/02/coronavirus-edition-savante-question-transmission>

[7] Mahase E. Coronavirus: home testing pilot launched in London to cut hospital visits and ambulance use. BMJ. 2020;368:m621.

<https://www.bmj.com/content/368/bmj.m621>

[8] Maxmen A. More than 80 clinical trials launch to test coronavirus treatments [News]. Nature; 2020. [modifié le 15/02/2020].

<https://www.nature.com/articles/d41586-020-00444-3>

[9] Zhang M. Min Zhang: Protecting healthcare workers in China during the coronavirus outbreak. The BMJ Opinion; 2020. [modifié le 14/02/2020].

<https://blogs.bmj.com/bmj/2020/02/14/min-zhang-protecting-healthcare-workers-china-coronavirus-outbreak/>