

2020-02-14 Novel Coronavirus\_Daily Article List

### **Articles publiés ou *In press***

32 références

- [1] As coronavirus spreads, the time to think about the next epidemic is now. *Nature*. 2020;578(7794):191-.  
<https://www.nature.com/articles/d41586-020-00379-9>
- [2] Ahmad T, Khan M, Khan FM, Hui J. Are we ready for the new fatal Coronavirus: scenario of Pakistan? *Hum Vaccin Immunother*. 2020:1-3.  
<https://pubmed.ncbi.nlm.nih.gov/32048891>
- [3] Bagcchi S. Mysterious pneumonia in China. *The Lancet Infectious Diseases*. 2020;20(2):173.  
[https://doi.org/10.1016/S1473-3099\(20\)30011-6](https://doi.org/10.1016/S1473-3099(20)30011-6)
- [4] Bajema KL, Oster AM, McGovern OL, Lindstrom S, Stenger MR, Anderson TC, et al. Persons Evaluated for 2019 Novel Coronavirus - United States, January 2020. *MMWR Morbidity and mortality weekly report*. 2020;69(6):166-70.  
<https://pubmed.ncbi.nlm.nih.gov/32053579>
- [5] Bernard Stoecklin S, Rolland P, Silue Y, Mailles A, Campese C, Simondon A, et al. First cases of coronavirus disease 2019 (COVID-19) in France: surveillance, investigations and control measures, January 2020. *Eurosurveillance*. 2020;25(6):2000094.  
<https://www.eurosurveillance.org/content/10.2807/1560-7917.ES.2020.25.6.2000094>
- [6] Bhadelia N. Coronavirus: hospitals must learn from past pandemics. *Nature*. 2020;578(7794):193-.  
<https://www.nature.com/articles/d41586-020-00354-4>
- [7] Chang D, Xu H, Rebaza A, Sharma L, Dela Cruz CS. Protecting health-care workers from subclinical coronavirus infection. *The Lancet Respiratory Medicine*.  
[https://doi.org/10.1016/S2213-2600\(20\)30066-7](https://doi.org/10.1016/S2213-2600(20)30066-7)
- [8] Dr. Andrea A. Foreword from European CDC Dr. Andrea Ammon—New Source of Knowledge to Strengthen Global Defences Against Infectious Disease. *China CDC Weekly*. ;2(7):97-.  
<http://weekly.chinacdc.cn/article/id/d56b233b-6493-4d1e-ac3f-0c7065052edb>
- [9] Du Z, Wang L, Cauchemez S, Xu X, Wang X, Cowling BJ, et al. Risk for Transportation of 2019 Novel Coronavirus Disease from Wuhan to Other Cities in China. *Emerg Infect Dis*. 2020;26(5):10.3201/eid2605.200146.  
<https://pubmed.ncbi.nlm.nih.gov/32053479>
- [10] Gostin LO, Hodge JG, Jr. US Emergency Legal Responses to Novel Coronavirus: Balancing Public Health and Civil Liberties. *JAMA*. 2020.  
<https://doi.org/10.1001/jama.2020.2025>
- [11] Guarner J. Three Emerging Coronaviruses in Two Decades. *Am J Clin Pathol*. 2020:aqaa029.  
<https://pubmed.ncbi.nlm.nih.gov/32053148>
- [12] Habibi R, Burci GL, de Campos TC, Chirwa D, Cinà M, Dagron S, et al. Do not violate the International Health Regulations during the COVID-19 outbreak. *The Lancet*.  
[https://doi.org/10.1016/S0140-6736\(20\)30373-1](https://doi.org/10.1016/S0140-6736(20)30373-1)
- [13] Huang P, Liu T, Huang L, Liu H, Lei M, Xu W, et al. Use of Chest CT in Combination with Negative RT-PCR Assay for the 2019 Novel Coronavirus but High Clinical Suspicion. *Radiology*. 2020:200330-.  
<https://pubmed.ncbi.nlm.nih.gov/32049600>

- [14] Kavanagh MM. Authoritarianism, outbreaks, and information politics. *The Lancet Public Health*.  
[https://doi.org/10.1016/S2468-2667\(20\)30030-X](https://doi.org/10.1016/S2468-2667(20)30030-X)
- [15] Liu Y, Gayle AA, Wilder-Smith A, Rocklöv J. The reproductive number of COVID-19 is higher compared to SARS coronavirus. *J Travel Med*. 2020:taaa021.  
<https://pubmed.ncbi.nlm.nih.gov/32052846>
- [16] Lorusso A, Calistri P, Petrini A, Savini G, Decaro N. Novel coronavirus (SARS-CoV-2) epidemic: a veterinary perspective. *Vet Ital*. 2020;10.12834/VetIt.2173.1599.1.  
<https://pubmed.ncbi.nlm.nih.gov/32048818>
- [17] Lum LH, Tambyah PA. Outbreak of COVID-19 - an urgent need for good science to silence our fears? *Singapore Med J*. 2020;10.11622/smedj.2020018.  
<https://pubmed.ncbi.nlm.nih.gov/32052064>
- [18] Makoni M. Africa prepares for coronavirus. *The Lancet*. 2020;395(10223):483.  
[https://doi.org/10.1016/S0140-6736\(20\)30355-X](https://doi.org/10.1016/S0140-6736(20)30355-X)
- [19] Nishiura H, Linton NM, Akhmetzhanov AR. Initial Cluster of Novel Coronavirus (2019-nCoV) Infections in Wuhan, China Is Consistent with Substantial Human-to-Human Transmission. *J Clin Med*. 2020;9(2):E488.  
<https://pubmed.ncbi.nlm.nih.gov/32054045>
- [20] Pan F, Ye T, Sun P, Gui S, Liang B, Li L, et al. Time Course of Lung Changes On Chest CT During Recovery From 2019 Novel Coronavirus (COVID-19) Pneumonia. *Radiology*. 2020:200370-.  
<https://pubmed.ncbi.nlm.nih.gov/32053470>
- [21] Ribeiro J, Bingre P, Strubbe D, Reino L. Coronavirus: why a permanent ban on wildlife trade might not work in China. *Nature*. 2020;578(7794):217-.  
<https://www.nature.com/articles/d41586-020-00377-x>
- [22] Roosa K, Lee Y, Luo R, Kirpich A, Rothenberg R, Hyman JM, et al. Real-time forecasts of the 2019-nCoV epidemic in China from February 5th to February 24th, 2020. *Infectious Disease Modelling*. 2020.  
<http://www.sciencedirect.com/science/article/pii/S2468042720300051>
- [23] Schwartz DA, Graham AL. Potential Maternal and Infant Outcomes from (Wuhan) Coronavirus 2019-nCoV Infecting Pregnant Women: Lessons from SARS, MERS, and Other Human Coronavirus Infections. *Viruses*. 2020;12(2):E194.  
[https://res.mdpi.com/d\\_attachment/viruses/viruses-12-00194/article\\_deploy/viruses-12-00194-v2.pdf](https://res.mdpi.com/d_attachment/viruses/viruses-12-00194/article_deploy/viruses-12-00194-v2.pdf)
- [24] Silverstein WK, Stroud L, Cleghorn GE, Leis JA. First imported case of 2019 novel coronavirus in Canada, presenting as mild pneumonia. *The Lancet*.  
[https://doi.org/10.1016/S0140-6736\(20\)30370-6](https://doi.org/10.1016/S0140-6736(20)30370-6)
- [25] Smith N, Fraser M. Straining the System: Novel Coronavirus (COVID-19) and Preparedness for Concomitant Disasters. *Am J Public Health*. 2020:e1-e2.  
<https://pubmed.ncbi.nlm.nih.gov/32053389>
- [26] Stein RA. The 2019 Coronavirus: Learning Curves, Lessons, and the Weakest Link. *Int J Clin Pract*. 2020:e13488-e.  
<https://onlinelibrary.wiley.com/doi/abs/10.1111/ijcp.13488>
- [27] Thompson RN. Novel Coronavirus Outbreak in Wuhan, China, 2020: Intense Surveillance Is Vital for Preventing Sustained Transmission in New Locations. *J Clin Med*. 2020;9(2):E498.  
<https://pubmed.ncbi.nlm.nih.gov/32054124>
- [28] Velavan TP, Meyer CG. The Covid-19 epidemic. *Trop Med Int Health*. 2020;10.1111/tmi.13383.  
<https://onlinelibrary.wiley.com/doi/abs/10.1111/tmi.13383>

[29] Wax RS, Christian MD. Practical recommendations for critical care and anesthesiology teams caring for novel coronavirus (2019-nCoV) patients. *Can J Anaesth*. 2020:10.1007/s12630-020-01591-x.

<https://link.springer.com/content/pdf/10.1007/s12630-020-01591-x.pdf>

[30] Wilder-Smith A, Freedman DO. Isolation, quarantine, social distancing and community containment: pivotal role for old-style public health measures in the novel coronavirus (2019-nCoV) outbreak. *J Travel Med*. 2020:taaa020.

<https://pubmed.ncbi.nlm.nih.gov/32052841>

[31] Zhang J, Zhou L, Yang Y, Peng W, Wang W, Chen X. Therapeutic and triage strategies for 2019 novel coronavirus disease in fever clinics. *The Lancet Respiratory Medicine*.

[https://doi.org/10.1016/S2213-2600\(20\)30071-0](https://doi.org/10.1016/S2213-2600(20)30071-0)

[32] Zhang L, Liu Y. Potential Interventions for Novel Coronavirus in China: A Systemic Review. *J Med Virol*. 2020:10.1002/jmv.25707.

<https://onlinelibrary.wiley.com/doi/abs/10.1002/jmv.25707>

### **Preprints**

16 références

**[Un rappel : il s'agit de rapports préliminaires qui n'ont pas fait l'objet d'un examen par les pairs. Ils ne doivent pas être considérés comme concluants, ni guider la pratique clinique ou les comportements liés à la santé, ni être présentés dans les médias comme des informations établies.]**

[1] Anastassopoulou C, Russo L, Tsakris A, Siettos C. Data-Based Analysis, Modelling and Forecasting of the novel Coronavirus (2019-nCoV) outbreak. *medRxiv*. 2020:2020.02.11.20022186.

<http://medrxiv.org/content/early/2020/02/13/2020.02.11.20022186.abstract>

[2] Clifford SJ, Klepac P, Van Zandvoort K, Quilty BJ, Eggo RM, Flasche S. Interventions targeting air travellers early in the pandemic may delay local outbreaks of SARS-CoV-2. *medRxiv*. 2020:2020.02.12.20022426.

<http://medrxiv.org/content/early/2020/02/13/2020.02.12.20022426.abstract>

[3] Fan C, Li K, Ding Y, Lu WL, Wang J. ACE2 Expression in Kidney and Testis May Cause Kidney and Testis Damage After 2019-nCoV Infection. *medRxiv*. 2020:2020.02.12.20022418.

<http://medrxiv.org/content/early/2020/02/13/2020.02.12.20022418.abstract>

[4] Lin Q, Hu T, Zhou X-H. Estimating the daily trend in the size of COVID-19 infected population in Wuhan. *medRxiv*. 2020:2020.02.12.20022277.

<http://medrxiv.org/content/early/2020/02/13/2020.02.12.20022277.abstract>

[5] Liu T, Hu J, Xiao J, He G, Kang M, Rong Z, et al. Time-varying transmission dynamics of Novel Coronavirus Pneumonia in China. *bioRxiv*. 2020:2020.01.25.919787.

<http://biorxiv.org/content/early/2020/02/13/2020.01.25.919787.abstract>

[6] Majumder M, Mandl KD. Early in the Epidemic: Impact of Preprints on Global Discourse of 2019-nCoV Transmissibility. *The Lancet Preprint*. 2020.

<https://ssrn.com/abstract=3536663>

[7] Mizumoto K, Kagaya K, Chowell G. Early epidemiological assessment of the transmission potential and virulence of 2019 Novel Coronavirus in Wuhan City: China, 2019-2020. *medRxiv*. 2020:2020.02.12.20022434.

<http://medrxiv.org/content/early/2020/02/13/2020.02.12.20022434.abstract>

[8] Nesteruk I. Statistics based predictions of coronavirus 2019-nCoV spreading in mainland China. *medRxiv*. 2020:2020.02.12.20021931.

<http://medrxiv.org/content/early/2020/02/13/2020.02.12.20021931.abstract>

[9] Nguyen D, Gao K, Chen J, Wang R, Wei G. Potentially highly potent drugs for 2019-nCoV. bioRxiv. 2020:2020.02.05.936013.

<http://biorxiv.org/content/early/2020/02/13/2020.02.05.936013.abstract>

[10] Nishiura H, Linton NM, Akhmetzhanov AR. Serial interval of novel coronavirus (2019-nCoV) infections. medRxiv. 2020:2020.02.03.20019497.

<http://medrxiv.org/content/early/2020/02/13/2020.02.03.20019497.abstract>

[11] Shen M, Peng Z, Guo Y, Xiao Y, Zhang L. Lockdown may partially halt the spread of 2019 novel coronavirus in Hubei province, China. medRxiv. 2020:2020.02.11.20022236.

<http://medrxiv.org/content/early/2020/02/13/2020.02.11.20022236.abstract>

[12] Wang M, Wu Q, Xu W, Qiao B, Wang J, Zheng H, et al. Clinical diagnosis of 8274 samples with 2019-novel coronavirus in Wuhan. medRxiv. 2020:2020.02.12.20022327.

<http://medrxiv.org/content/early/2020/02/13/2020.02.12.20022327.abstract>

[13] Wong MC, Javornik Cregeen SJ, Ajami NJ, Petrosino JF. Evidence of recombination in coronaviruses implicating pangolin origins of nCoV-2019. bioRxiv. 2020:2020.02.07.939207.

<http://biorxiv.org/content/early/2020/02/13/2020.02.07.939207.abstract>

[14] Wu C, Zheng S, Chen Y, Zheng M. Single-cell RNA expression profiling of ACE2, the putative receptor of Wuhan 2019-nCoV, in the nasal tissue. medRxiv. 2020:2020.02.11.20022228.

<http://medrxiv.org/content/early/2020/02/13/2020.02.11.20022228.abstract>

[15] Zhang J, Ma X, Yu F, Liu J, Zou F, Pan T, et al. Teicoplanin potently blocks the cell entry of 2019-nCoV. bioRxiv. 2020:2020.02.05.935387.

<http://biorxiv.org/content/early/2020/02/13/2020.02.05.935387.abstract>

[16] Zhao H, Man S, Wang B, Ning Y. Epidemic size of novel coronavirus-infected pneumonia in the Epicenter Wuhan: using data of five-countries; evacuation action. medRxiv. 2020:2020.02.12.20022285.

<http://medrxiv.org/content/early/2020/02/13/2020.02.12.20022285.abstract>

## **Documents gouvernementaux**

10 références

[1] Australian Government. Department of health. Nouvelles fiches d'information [mis à jour le 14 février]. Australian Government. Department of health; 2020. [consulté le 05/02/2020].

Disponible: [https://www.health.gov.au/resources?search\\_api\\_views\\_fulltext=2019-nCoV](https://www.health.gov.au/resources?search_api_views_fulltext=2019-nCoV)

[2] Canada Adlspd. FORMULAIRE DE DÉCLARATION DE CAS D'INFECTION AU NOUVEAU CORONAVIRUS (nCoV-2019). 2020. Disponible: <https://www.canada.ca/content/dam/phac-aspc/documents/services/diseases/2019-novel-coronavirus-infection/health-professionals/2019-nCoV-case-report-form-fr.pdf>

[3] CDC. Coronavirus Disease 2019 (COVID-19) Situation Summary [En ligne]. : 2020. [modifié le ; cité le]. Disponible: <https://www.cdc.gov/coronavirus/2019-ncov/summary.html>

[4] CDC. What Healthcare Personnel Should Know about Caring for Patients with Confirmed or Possible 2019-nCoV Infection [mis à jour le 12/02/2020] [En ligne]. : 2020. [modifié le 07/02/2020; cité le]. Disponible: <https://www.cdc.gov/coronavirus/2019-ncov/hcp/caring-for-patients.html>

[5] CDC. Interim Guidance for Businesses and Employers to Plan and Respond to 2019 Novel Coronavirus (2019-nCoV), February 2020 [mis à jour le 12/02/2020] [En ligne]. : 2020. [modifié le ; cité le]. Disponible: <https://www.cdc.gov/coronavirus/2019-ncov/guidance-business-response.html>

[6] CDC. Interim Clinical Guidance for Management of Patients with Confirmed 2019 Novel Coronavirus (2019-nCoV) Infection [mis à jour le 12/02/2020]. 2020. Disponible: <https://www.cdc.gov/coronavirus/2019-ncov/hcp/clinical-guidance-management-patients.html>

- [7] ECDC. Current risk assessment on the novel coronavirus situation, 14 February 2020 [En ligne]. : 2020. [modifié le ; cité le]. Disponible: <https://www.ecdc.europa.eu/en/current-risk-assessment-novel-coronavirus-situation>
- [8] ECDC. Guidance on community engagement for public health events caused by communicable disease threats in the EU/EEA [En ligne]. : 2020. [modifié le ; cité le]. Disponible: <https://www.ecdc.europa.eu/en/publications-data/guidance-community-engagement-public-health-events-caused-communicable-disease>
- [9] Public Health England. Novel coronavirus (2019-nCoV): epidemiology, virology and clinical features. Guidance [Mis à jour le 13/02/2020]. PHE; 2020. [consulté le 03/02/2020]. Disponible: <https://www.gov.uk/government/publications/wuhan-novel-coronavirus-background-information>
- [10] Québec MdSsd. OUTIL D'ÉVALUATION POUR LES INFIRMIÈRES AU TRIAGE DES URGENCES. COVID-19, MALADIES RESPIRATOIRES SÉVÈRES INFECTIEUSES (MRSI) ET EBOLA. 2020. Disponible: <https://msss.gouv.qc.ca/professionnels/documents/mrsi/outil-de-triage.pdf>

### **Articles en chinois et coréen**

3 référence

#### **[Un résumé en anglais est disponible]**

- [1] Pediatric Branch of Hubei Medical A, Pediatric Branch of Wuhan Medical A, Pediatric Medical Quality Control Center of H. [Recommendation for the diagnosis and treatment of novel coronavirus infection in children in Hubei (Trial version 1)]. Zhongguo Dang Dai Er Ke Za Zhi. 2020;22(2):96-9. <https://pubmed.ncbi.nlm.nih.gov/32051073>
- [2] Pediatric Committee MAoCPsLA, Editorial Committee of Chinese Journal of Contemporary P. [Emergency response plan for the neonatal intensive care unit during epidemic of 2019 novel coronavirus]. Zhongguo Dang Dai Er Ke Za Zhi. 2020;22(2):91-5. <https://pubmed.ncbi.nlm.nih.gov/32051072>
- [3] Working Group for the P, Control of Neonatal -nCoV LitPPotECJoCP. [Perinatal and neonatal management plan for prevention and control of 2019 novel coronavirus infection (1st Edition)]. Zhongguo Dang Dai Er Ke Za Zhi. 2020;22(2):87-90. <https://pubmed.ncbi.nlm.nih.gov/32051071>

### **News**

4 références

- [1] Mahase E. Coronavirus: online GP bookings should be stopped because of safety risks, warns BMA. BMJ. 2020 (col. 14/02/2020). Disponible: <https://www.bmj.com/content/368/bmj.m611>
- [2] Schnirring L. China reports gush of retrospective COVID-19 cases. CIDRAP. 2020 (col. 14/02/2020). Disponible: <http://www.cidrap.umn.edu/news-perspective/2020/02/china-reports-gush-retrospective-covid-19-cases>
- [3] Soucheray S. Unmasked: Experts explain necessary respiratory protection for COVID-19. CIDRAP. 2020 (col. 14/02/2020). Disponible: <http://www.cidrap.umn.edu/news-perspective/2020/02/unmasked-experts-explain-necessary-respiratory-protection-covid-19>
- [4] Yasinski E. Journals Open Access to Coronavirus Resources. The Scientist. 2020 (col. 14/02/2020). Disponible: <https://www.the-scientist.com/news-opinion/journals-open-access-to-coronavirus-resources--67105>